

CONTRIBUTING WITH COMPASSION

LLVM Workshop - October 21, 2019









Compassionate—Yet Candid—Code Reviews - April Wensel https://www.youtube.com/watch?v=Ea8EiIPZvh0

WHY ISN'T THIS TALK PART OF THE MAIN DEVELOPER'S MEETING?

MY BACKGROUND





ME: 10 YEARS AS SOFTWARE ENGINEER, LEADER, MENTOR, TEACHER...

SONY





























ALSO ME: KIND OF A JERK



Confessions of a Recovering Jerk Programmer



https://medium.com/compassionate-coding/confessions-of-a-recovering-jerk-programmer-b9d531a05ea9



SUFFERING IN TECH

- STRESS & BURNOUT
- IMPOSTOR SYNDROME
- "TALENT SHORTAGE" MYTH
- LACK OF DIVERSITY
- POOR USER EXPERIENCE
- UNETHICAL PRODUCTS
- FAILED PROJECTS



TECH CULTURE


IN 2016, I BECAME VEGAN,

LEARNED ABOUT COMPASSION,

AND STARTED A CONSCIOUS BUSINESS TO TRANSFORM TECH CULTURE:



Vegan
Chicken
Tikka Masala
pizza from
Bossman's in
San Jose



COMPASSIONATE CODING

WHY COMPASSION?



WHY COMPASSION?

THE REDDIT RESPONSE:

- It's a girly title so ...

I also don't understand why coding has to be "compassionate"?

- A
- I like the post, but 'Compassionate Coding' still sounds like self help nonsense: P





@COMPASSIONCODE

COMPASSION

"THE FEELING THAT ARISES WHEN YOU ARE CONFRONTED WITH ANOTHER'S SUFFERING AND FEEL MOTIVATED TO RELIEVE THAT SUFFERING"

-UC BERKELEY'S GREATER GOOD SCIENCE CENTER

https://greatergood.berkeley.edu/topic/compassion/definition


COMPASSION = EMPATHY + ACTION

COMPASSIONATE CODING MISSION:

MINIMIZE SUFFERING FOR TECHNOLOGISTS, USERS, AND THE GLOBAL COMMUNITY



COMPASSIONATE BUSINESS UNITS "EXHIBITED BETTER FINANCIAL PERFORMANCE...AND THESE UNITS REALIZED HIGHER EMPLOYEE AND CUSTOMER RETENTION..."



PRIORITIZING FEATURES COLLABORATING INTERVIEWING NAMING VARIABLES



"IT'S SIMPLY NOT ENOUGH FOR INSTITUTIONS CREATED BY AND FOR MEN TO OPEN THEIR DOORS TO WOMEN. MUCH MORE NEEDS TO CHANGE—THE NORMS, THE PRACTICES, AND THE FACE OF ITS LEADERSHIP—TO CREATE A PLACE WHERE WOMEN CAN TRULY SUCCEED."

TARA MOHR

Playing Big



Programming today is exactly what you'd expect to get by paying an isolated subculture of nerdy young men to entertain themselves for fifty years. You get a cross between Dungeons & Dragons and Rubik's Cube, elaborated a thousand-fold. I'm serious: Dungeons & Dragons requires mastery of an encyclopedia of minutiae; Rubik's Cube is a puzzle requiring abstract mathematical thinking. That is programming in a nutshell. As a bonus you also get a toxic culture of intellectual one-upmanship.

JONATHAN EDWARDS

https://alarmingdevelopment.org/?p=1173

NEW COMPASSIONATE TECH VALUES


- EGO HUMILITY
- ELITISM INCLUSION
- COMPETITION COOPERATION
- BEING "SMART" LEARNING
- BEING A "ROCKSTAR" BEING A MENTOR

I BELIEVE THAT YOU ARE ALL GOOD PEOPLE WHO DEEP DOWN VALUEINCLUSION

BECOMING MORE INCLUSIVE REQUIRES GHANGE

CHANGE CAN BE HARD





-VE

TIME ->

TIRED OF HEARING ABOUT DIVERSITY?





https://commons.wikimedia.org/wiki/File:Wood_warping.png Metaphor from Steven Sample's *Contrarian Guide to Leadership*



THE PETRIE MULTIPLER

Ratio women to men: 1:4


Each person equally likely to make inappropriate remarks to the other gender

4x as many men to make remarks

4x fewer women to receive them

So, women get 16x as many inappropriate remarks

 $1:r->r^2$ times



Karen Petrie; http://blog.ian.gent/2013/10/the-petrie-multiplier-why-attack-on.html

HAVING A CODE OF CONDUCT IS THE BARE MINIMUM

YOU AS AN INDIVIDUAL HAVE THE POWER TO BECOME AN AGENT OF COMPASSION

"I BELIEVE IT IS IN EVERYONE'S INTEREST THAT PEOPLE CHANGE, NOT IN ORDER TO AVOID PUNISHMENT, BUT BECAUSE THEY SEE THE CHANGE AS BENEFITING THEMSELVES."

MARSHALL ROSENBERG

Nonviolent Communication




COMPASSION IS GOOD FOR YOU

BENEFITS OF COMPASSION

https://greatergood.berkeley.edu/topic/compassion/definition#why-practice

- JOY
- RESILIENCE
- PEACE OF MIND
- JOB SATISFACTION
- LOWER CHANCE OF BURNOUT



THREE EXAMPLES OF PRACTICAL COMPASSION



THE PRIME DIRECTIVE

"REGARDLESS OF WHAT WE DISCOVER. WE UNDERSTAND AND TRULY BELIEVE THAT EVERYONE DID THE BEST JOB THEY COULD. GIVEN WHAT THEY KNEW AT THE TIME, THEIR SKILLS AND ABILITIES, THE RESOURCES AVAILABLE, AND THE SITUATION AT HAND.

https://retrospectivewiki.org/index.php?title=The_Prime_Directive



APPLY COMPASSION IN AND AROUND THE CODE

in normal function call expressions and function-like macros. For example, this is good:

```
if (X) ...
for (I = 0; I != 100; ++I) ...
while (LLVMRocks) ...

somefunc(42);
assert(3 != 4 && "laws of math are failing me");

A = foo(42, 92) + bar(X);
```

and this is bad:

```
if(X) ...
for(I = 0; I != 100; ++I) ...
while(LLVMRocks) ...

somefunc (42);
assert (3 != 4 && "laws of math are failing me");
A = foo (42, 92) + bar (X);
```



BINARY THINKING BLOCKS EMPATHY



GOD/BAD LANGUAGE



Wrong:

```
// In Something.h:

/// Something - An abstraction for some complicated thing.
class Something {
public:
    // fooBar - Does foo and bar.
    void fooBar();
};

// In Something.cpp:

/// fooBar - Does foo and bar.
void Something::fooBar() { ... }
```

Correct:

```
// In Something.h:

/// An abstraction for some complicated thing.
class Something {
public:
    // Does foo and bar.
    void fooBar();
};

// In Something.cpp:

// Builds a B-tree in order to do foo. See paper by...
void Something::fooBar() { ... }
```



RIGHT/WRONG LANGUAGE

"YOU'RE DOING IT WRONG..."



In general, we strive to reduce indentation wherever possible. This is useful because we want code to fit into 80 columns without wrapping horribly, but also because it makes it easier to understand the code. To facilitate this and avoid some insanely deep nesting on occasion, don't indent namespaces. If it helps readability, feel free to add a comment indicating what namespace is being closed by a }. For example:



In general, we strive to reduce indentation wherever possible. This is useful because we want code to fit into 80 columns without wrapping horribly, but also because it makes it easier to understand the code. To facilitate this and avoid some insanely deep nesting on occasion, don't indent namespaces. If it helps readability, feel free to add a comment indicating what namespace is being closed by a }. For example:



1. When writing C code: Obviously if you are writing C code, use C style comments.



OBVIOUS TO WHOM?

Poorly-chosen names can mislead the reader and cause bugs. We cannot stress enough how important it is to use *descriptive* names. Pick names that match the semantics and role of the underlying entities, within reason. Avoid abbreviations unless they are well known. After pick ing a good name, make sure to use consistent capitalization for the name, as inconsistency requires clients to either memorize the APIs or to look it up to find the exact spelling.

INSTEAD OF JUST FOLLOWING "BEST PRACTICES," THINK ABOUT MINIMIZING SUFFERING

Wrong:

```
// In Something.h:

/// Something - An abstraction for some complicated thing.
class Something {
public:
    // fooBar - Does foo and bar.
    void fooBar();
};

// In Something.cpp:

/// fooBar - Does foo and bar.
void Something::fooBar() { ... }
```

Correct:

```
// In Something.h:

/// An abstraction for some complicated thing.
class Something {
public:
    // Does foo and bar.
    void fooBar();
};

// In Something.cpp:

// Builds a B-tree in order to do foo. See paper by...
void Something::fooBar() { ... }
```




AVOID DERIVATIVES OF FUBAR



AVOID RIFM AND THE ASSOCIATED


https://llvm.org/docs/Contributing.html





https://compassionatecoding.com/blog/2019/4/17/its-time-to-retire-rtfm





https://
insights.stackoverflow.com/
survey/2019#community

Women want more kindness in communication

Men want changes to points algorithm





APPLY COMPASSION IN AND AROUND THE CODE



TOPPLE THE TYRANNY OF "TECHNICAL"

"TECHNICAL" > "NON-TECHNICAL"



"TECHNICAL" > "NON-TECHNICAL"

77777777



"HARD" SKILLS > "SOFT" SKILLS

7777777






WHYDO PROJECTS FAIL?



@APRILWENSEL

WHY SOFTWARE PROJECTS FAIL



CHANGING OR POORLY DOCUMENTED REQUIREMENTS

UNDERFUNDING OR UNDER-RESOURCING

POOR TEAM OR ORGANIZATIONAL MANAGEMENT

INSUFFICIENT TIME ALLOCATED TO TESTING

DEVELOPER CHURN AND LOSS OF KEY TALENT

MISSED DELIVERY TIMELINE EXPECTATIONS

TIME CONSTRAINTS AND PRE-MATURE SOFTWARE RELEASE


IMMATURE DEV TOOLS & APPLICATION PLATFORMS

WHY SOFTWARE PROJECTS FAIL





WHY SOFTWARE PROJECTS FAIL



CHANGING OR POORLY DOCUMENTED REQUIREMENTS

UNDERFUNDING OR UNDER-RESOURCING

POOR TEAM OR ORGANIZATIONAL MANAGEMENT

INSUFFICIENT TIME ALLOCATED TO TESTING

DEVELOPER CHURN AND LOSS OF KEY TALENT

MISSED DELIVERY TIMELINE EXPECTATIONS

TIME CONSTRAINTS AND PRE-MATURE SOFTWARE RELEASE

IMMATURE DEV TOOLS & APPLICATION PLATFORMS

ALL SOFTWARE PROBLEMS ARE ACTUALLY HUMAN PROBLEMS



https://compassionatecoding.com/blog/2019/4/17/if-you-can-use-a-fork-youre-technical

"SHE DOESN'T SEEMTECHNICAL ENOUGH

"TECHNICAL" IS CONNECTED TO DEVELOPER STEREOTYPES

OBSESSION WITH "STAYING TECHNICAL" LEADS TOODD BEHAVIOR

"I'M JUST NOT TECHNICAL.."

THE FALSE TECHNICAL/ NON-TECHNICAL DIVISION LIMITS OUR POTENTAL

THE FALSE TECHNICAL/NON-TECHNICAL DIVISION PREVENTS US FROM DISCUSSING IMPORTANT PROBLEMS IN OUR COMMUNITIES

WHY ISN'T THIS TALK PART OF THE MAIN DEVELOPER'S MEETING?

What can you can expect at an LLVM Developers' Meeting?

Technical Talks

These 20-30 minute talks cover all topics from core infrastructure talks, to project's using LLVM's infrastructure. Attendees will take away technical information that could be pertinent to their project or general interest.

Tutorials

Tutorials are 50-60 minute sessions that dive down deep into a technical topic. Expect in depth examples and explanations.

What can you can expect at an LLVM Developers' Meeting?

Technical Talks

These 20-30 minute talks cover all topics from core infrastructure talks, to project's using LLVM's infrastructure. Attendees will take away technical information that could be pertinent to their project or general interest.

Tutorials

Tutorials are 50-60 minute sessions that dive down deep into a technical topic. Expect in depth examples and explanations.

THIS IS A TECHNICAL TALK!

INSTEAD OF "TECHNICAL" OR "NON-TECHNICAL." SAY WHAT YOU REALLY

INSTEAD OF "SHE'S TECHNICAL." RY "SHE CODES"

INSTEAD OF "NON-TECHNICAL SKILLS" TRY "CATALYTIC SKILLS"



a non-technical introduction to compiler construction.

https://compilers.iecc.com/crenshaw/



a non-technical introduction to compiler construction.

"an approachable introduction..."

"a gentle introduction..."

https://compilers.iecc.com/crenshaw/






TOPPLE THE TYRANNY OF "TECHNICAL"



TAKE GOOD CARE OF YOURSELF



PRACTICE SELF-COMPASSION



IF WE'RE NOT KIND TO OURSELVES. IT'S HARD TO BE KIND TO OTHERS

"STRESS HORMONES THAT CIRCULATE CHRONICALLY IN OUR BODIES MAY BE TEMPORARILY ENERGIZING, BUT OVER TIME THEY PROMPT SYMPTOMS SUCH AS HYPERACTIVITY, AGGRESSIVENESS, IMPATIENCE, IRRITABILITY, ANGER, SELF-ABSORPTION AND INSENSITIVITY TO OTHERS."

JIM LOEHR & TONY SCHWARTZ

The Power of Full Engagement



"...SOMETIMES YOU WILL REMEMBER THAT...YOU HAVE BEHAVED UNKINDLY AND INCONSIDERATELY. AT THIS POINT...HAVE COMPASSION FOR YOURSELF, SMILE WRYLY AT YOUR OMISSION, AND RESOLVE TO DO BETTER TOMORROW."

KAREN ARMSTRONG Twelve Steps to a Compassionate Life



DON'T BE AFRAID TO ADMIT MISTAKES - WE'RE ALL BIASED


FOCUS ON GROWTH



SPECIAL NOTE TO THE UNDERREPRESENTED



TAKE GOOD CARE OF YOURSELF



- 1. APPLY COMPASSION IN AND AROUND THE CODE
- 2. TOPPLE THE TYRANNY OF "TECHNICAL"
- 3. TAKE GOOD CARE OF YOURSELF

PROMOTING INCLUSION IS NOT LOWERING THE BAR: IT'S REALIZING THAT WE'VE BEEN MISSING OUT ON DIVERSE STRENGTHS AND DECIDING TO FIX THAT



WHY ISN'T THIS TALK PART OF THE MAIN DEVELOPER'S MEETING?

"BECAUSE THAT'S FOR TECHNICAL TALKS."

"IF IT IS NOT TEMPERED BY COMPASSION AND EMPATHY, REASON CAN LEAD MEN AND WOMEN INTO A MORAL VOID."

KAREN ARMSTRONG

Twelve Steps to a Compassionate Life




WHAT WILL YOU DO ABOUT IT?



THANK YOU!



COMPASSIONATE
— CODING —



@COMPASSIONCODE

@APRILWENSEL